ELSEVIER

Gene Structure and Expression

Vol. 1219, 1994

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors *vii*

Regular Papers

Only cytidines 5′ of the apolipoprotein B mRNA mooring sequence are edited
J.W. Backus, D. Schock and H.C. Smith (USA) 1

Structure, promoter analysis and chromosomal assignment of the human *APEX* gene
K. Akiyama, S. Seki, T. Oshida and M.C. Yoshida (Japan) 15

Isolation and characterization of a novel cDNA from HL-60 cells treated with 1,25-dihydroxyvitamin D-3
K.-S. Chen and H.F. DeLuca (USA) 26

Developmental expression of sarcomeric and ubiquitous mitochondrial creatine kinase is tissue-specific
R.M. Payne and A.W. Strauss (USA) 33

Nuclear proteins interacting with DNA and tubulin. Study of the interaction of the High Mobility Group protein 1 with tubulin
A. Briolay, B. Rousset and B. Roux (France) 39

Purification of *Caenorhabditis elegans* DNA topoisomerase I
S.M. Park and H.-S. Koo (South Korea) 47

Binding of AP-1/CREB proteins and of MDBP to contiguous sites downstream of the human TGF-β1 gene
C.K. Asiedu, L. Scotto, R.K. Assoian and M. Ehrlich (USA) 55

Cloning, nucleotide sequence and expression of rat heat inducible hsp70 gene
K. Lisowska, Z. Krawczyk, W. Widłak, P. Wolniczek and J. Wiśniewski (Poland) 64

Protein engineering of the restriction endonuclease *Eco*RV: replacement of an amino acid residue in the DNA binding site leads to an altered selectivity towards unmodified and modified substrates
C. Wenz, U. Selent, W. Wende, A. Jeltsch, H. Wolfes and A. Pingoud (Germany) 73

Transcriptional activity of the CD45 gene promoter in retroviral vector constructs
D.S. Anson and T. Occhiodoro (Australia) 81

Chemical secondary structure probing of two highly methylated regions in *Xenopus laevis* 28S ribosomal RNA
P.M. Ajuh and E.B. Maden (UK) 89

Relative contribution of photo-addition, helper oligonucleotide and RNase H to the antisense effect of psoralen-oligonucleotide conjugates, on in vitro translation of *Leishmania* mRNAs
E. Pascolo, D. Hudrisier, B. Sproat, N.T. Thuong and J.-J. Toulmé (France, Germany) 98

DNA unknotting activity (DNA topoisomerase II) isolated from a thermophilic archaebacterium *Sulfolobus* is inhibited by novobiocin. Partial purification, identification of the two subunits and characteristics of the enzyme
L.M. Assairi (France) 107

Binding of a bZip protein to the estrogen-inducible apoVLDL II promoter
M.P. Smidt, J. Wijnholds, L. Snippe, G. Van Keulen and G. AB (The Netherlands) 115

Molecular cloning of cDNA for XTCAD-1, a novel *Xenopus* cadherin, and its expression in adult tissues and embryos of *Xenopus laevis*
O. Tooi, G. Fujii, K. Tashiro and K. Shiokawa (Japan) 121

Gene structure and cell type-specific expression of the human ATP synthase α subunit
S. Akiyama, H. Endo, N. Inohara, S. Ohta and Y. Kagawa (Japan) 129

Short Sequence-Papers and Promoter Papers

A conserved sequence in tRNA and rRNA promoters of *Lactococcus lactis*
D. Nilsson and E. Johansen (Denmark) 141

Characterisation and expression of a maize U3 snRNA gene
D.J. Leader, S. Connelly, W. Filipowicz and J.W.S. Brown (UK, Switzerland) 145

Cloning and nucleotide sequence of cDNA encoding Asp-hemolysin from *Aspergillus fumigatus*
K. Ebina, H. Sakagami, K. Yokota and H. Kondo (Japan) 148

Large and small subunits of the Aujeszky's disease virus ribonucleotide reductase: nucleotide sequence and putative structure
A.V. Kaliman, Z. Boldogkői and I. Fodor (Hungary) 151

Instability of human TATA-binding protein CAG triplet repeats during amplification by PCR
F.C.P. Holstege, P.C. Van der Vliet and H.Th.M. Timmers (The Netherlands) 157

Nucleotide sequence of the cDNA encoding human helix-loop-helix Id-1 protein: identification of functionally conserved residues common to Id proteins
R.W. Deed, M. Jasiok and J.D. Norton (UK) 160

Nucleotide and derived amino acid sequences of an extracellular sucrase gene (*invB*) of *Zymomonas mobilis* ZM1 (ATCC10988)
K.-B. Song, S.-K. Lee, H.-K. Joo and S.-K. Rhee (South Korea) 163

Complete nucleotide and deduced amino acid sequence of rat amyloid protein precusor-like protein 2 (APLP2/APPH): two amino acids length difference to human and murine homologues
R. Sandbrink, C.L. Masters and K. Beyreuther (Germany, Australia) 167

Molecular cloning and sequence analysis of rat bradykinin B_2 receptor gene
D.-z. Wang, J.-x. Ma, L. Chao and J. Chao (USA) 171

Cloning and sequencing of the *gro*ESL homologue from *Porphyromonas gingivalis*
H. Hotokezaka, H. Hayashida, N. Ohara, H. Nomaguchi, K. Kobayashi and T. Yamada (Japan) 175

Cloning and nucleotide sequence of a bacterial cytochrome $P\text{-}450_{VD25}$ gene encoding vitamin D-3 25-hydroxylase
H. Kawauchi, J. Sasaki, T. Adachi, K. Hanada, T. Beppu and S. Horinouchi (Japan) 179

A vertebrate homolog of the actin-bundling protein fascin
J.C.M. Holthuis, V.T.G. Schoonderwoert and G.J.M. Martens (The Netherlands) 184

Isolation, sequence analysis and characterization of a cDNA encoding human chaperonin 10
J.J. Chen, D.J. McNealy, S. Dalal and E.J. Androphy (USA) 189

A novel glucose-6-phosphate dehydrogenase in *Plasmodium falciparum*: cDNA and primary protein structure
M. Shahabuddin, D.J. Rawlings and D.C. Kaslow (USA) 191

Sequence of a novel pregnancy-specific β_1-glycoprotein C-terminal domain
T.W. Joe, P.A. McLenachan and B.C. Mansfield (New Zealand) 195

Cloning and sequencing of the gene encoding the RpoS (KatF) σ factor from *Salmonella typhimurium* 14028s
R.W. Prince, Y. Xu, S.J. Libby and F.C. Fang (USA) 198

Stage-specific transcription of the homeobox gene *Bnhd1* in young tissues and flowers of *Brassica napus*
R. Boivin, F. Hamel, D. Beauseigle and G. Bellemare (Canada) 201

SWH1 from yeast encodes a candidate nuclear factor containing ankyrin repeats and showing homology to mammalian oxysterol-binding protein
W.A. Schmalix and W. Bandlow (Germany) 205

Atlantic cod cDNA encoding a psychrophilic chymotrypsinogen
Á. Gudmundsdóttir, S. Óskarsson, A.E. Eakin, C.S. Craik and J.B. Bjarnason (Iceland, USA) 211

Cloning and sequencing of cDNAs for rabbit preproacrosin and a novel preproacrosin-related cDNA
R.T. Richardson and M.G. O'Rand (USA) 215

The nucleotide sequence of the murine Hox-D3 (Hox-4.1) gene reveals extensive identity with the human protein
W.M. Brown, L. Zhou and G.R. Taylor (USA, Canada) 219

Cloning and characterization of a full-length cDNA coding for ovine aldolase B from fetal mesonephros
L. Gianquinto, E.A. Pailhoux, J. Bezard, N. Servel, M. Kirszenbaum and C. Cotinot (France) 223

The integrin α_v gene: identification and characterization of the promoter region
J.P. Donahue, N. Sugg and J. Hawiger (USA) 228

Evidence for the presence of a functional TATA box (ATAAAA) sequence in the gene for bovine elastin
A. Manohar and R.A. Anwar (Canada) 233

Identification of 5′ regulatory regions of the human carnitine palmitoyltransferase II gene
L. Montermini, H. Wang, E. Verderio, F. Taroni, S. DiDonato and G. Finocchiaro (Italy) 237

Characterization of the 5′-regulatory region of rat *Reg I* gene
H. Miyashita, H. Yonekura, M. Unno, Y. Suzuki, T. Watanabe, S. Moriizumi, S. Takasawa and H. Okamoto (Japan) 241

Rapid Report

Ectopic expression of a viral adenine methyltransferase gene in tobacco
A. Mitra and Q. Que (USA) 244

Regular Papers

Molecular cloning and functional expression of a human thyrotropin-releasing hormone (TRH) receptor gene
S. Hinuma, M. Hosoya, K. Ogi, H. Tanaka, Y. Nagai and H. Onda (Japan) 251

Mutagenesis of a highly conserved lysine 340 of the PRD1 DNA polymerase
W. Zhu, M.C. Leavitt, G. Jung and J. Ito (USA) 260

Purification and characterization of PRD1 DNA polymerase
W. Zhu and J. Ito (USA) 267
Macromolecular crowding effects on the interaction of DNA with *Escherichia coli* DNA-binding proteins: a model for bacterial nucleoid stabilization
L.D. Murphy and S.B. Zimmerman (USA) 277
Presence of regulatory sequences within intron 4 of human and murine c-myb genes
T. Seib, C. Welter, M. Engel, B. Theisinger and S. Dooley (Germany) 285
The RNA-binding properties of protein synthesis initiation factor eIF-2
A. Flynn, I.N. Shatsky, C.G. Proud and A. Kaminski (UK) 293
Involvement of DNA polymerase δ and/or ϵ in joining UV-induced DNA single strand breaks in human fibroblasts (comparison of effects of butylphenyldeoxyguanosine with aphidicolin)
K. Yamada and R. Itoh (Japan) 302
The 5′-flanking region of the α2MR/LRP gene contains an enhancer-like cluster of Sp1 binding sites
B.A. Gaëta, I. Borthwick and K.K. Stanley (Australia) 307
DNA uptake stimulating protein from *Neurospora crassa* enhances DNA and oligonucleotide uptake also in mammalian cells
G. Tóth, J. Schlammadinger and G. Szabó (Hungary) 314
Cloning and expression of the rabbit gastric CCK-A receptor
M. Reuben, L. Rising, C. Prinz, S. Hersey and G. Sachs (USA) 321
Primary structure and expression of a human CTP : phosphocholine cytidylyltransferase
G.B. Kalmar, R.J. Kay, A.C. LaChance and R.B. Cornell (Canada) 328
Retinoic acid-induced inhibition of type I collagen gene expression by human lung fibroblasts
M. Krupsky, A. Fine, J.L. Berk and R.H. Goldstein (USA) 335
Mode of action of poly(ADP-ribose) glycohydrolase
G. Brochu, C. Duchaine, L. Thibeault, J. Lagueux, G.M. Shah and G.G. Poirier (Canada) 342
Transcriptional activation by hypersensitive site three of the human β-globin locus control region in murine erythroleukemia cells
S. Pruzina, M. Antoniou, J. Hurst, F. Grosveld and S. Philipsen (UK) 351
Sequence analyses and inter-species comparisons of three novel human proteasomal subunits, HsN3, HsC7-I and HsC10-II, confine potential proteolytic active-site residues
H.G. Nothwang, T. Tamura, K. Tanaka and A. Ichihara (Japan) 361
DNA binding mode of class-IIS restriction endonuclease *Fok*I revealed by DNA footprinting analysis
A. Yonezawa and Y. Sugiura (Japan) 369
Characterization of an RNase H deficient mutant of human immunodeficiency virus-1 reverse transcriptase having an aspartate to asparagine change at position 498
J.J. DeStefano, W. Wu, J. Seehra, J. McCoy, D. Laston, E. Albone, P.J. Fay and R.A. Bambara (USA) 380
Affinity purification of sucrose binding proteins from the plant plasma membrane
Z.-S. Li, A.M. Noubhani, A. Bourbouloux and S. Delrot (France) 389
The expression of *Escherichia coli* diaminopimelate decarboxylase in mouse 3T3 cells
K.M. Saqib, S.M. Hay and W.D. Rees (UK) 398
Using linkers to investigate the spatial separation of the conserved nucleotides A_9 and G_{12} in the hammerhead ribozyme
P. Hendry, M.J. Moghaddam, M.J. McCall, P.A. Jennings, S. Ebel and T. Brown (Australia, UK) 405
Characterization of an Krox-24/Egr-1-responsive element in the human tumor necrosis factor promoter
B. Krämer, A. Meichle, G. Hensel, P. Charnay and M. Krönke (Germany) 413
Detection of small quantities of double stranded DNA by enhanced fluorescence of substituted aldehyde modified polydeoxynucleotide-ethidium bromide complexes
S. Premaratne, S.D. Swenson, M. Mandel and H.F. Mower (USA) 422
Functional interactions between translation, transcription and ppGpp in growing *Escherichia coli*
M. Faxén and L.A. Isaksson (Sweden) 425
Calretinin is expressed in the Leydig cells of rat testis
K.I. Strauss, K.R. Isaacs, Q.N. Ha and D.M. Jacobowitz (USA) 435
Transfer of a functional arabinose operator-repressor system to *Drosophila melanogaster* Schneider line-2 cells
V. Raman, K.N. Rand and R.J. Hill (Australia) 441
Cloning, sequencing and expression of dinoflagellate luciferase DNA from a marine alga, *Gonyaulax polyedra*
Y.M. Bae and J.W. Hastings (USA) 449
A birch gene family encoding pollen allergens and pathogenesis-related proteins
I. Swoboda, O. Scheiner, D. Kraft, M. Breitenbach, E. Heberle-Bors and O. Vicente (Austria) 457

Proximal 2.6 kb of 5′-flanking DNA is insufficient for human renin promoter activity in renin-synthesizing chorio-decidual cells
D.L. Smith, R.E. Law, K.J. Shaw, Y.S. Do, W.A. Hsueh and B.J. Morris (USA, Australia) 465

Selective suppression of cytochrome *P*-450 gene expression by interleukins 1 and 6 in rat liver
E.T. Morgan, K.B. Thomas, R. Swanson, T. Vales, J. Hwang and K. Wright (USA) 475

Analysis of retrotransposon families in genomic DNA by two-dimensional restriction mapping: detection of VL30 insertions in mouse thymic lymphoma
N.S. French and J.D. Norton (UK) 484

The impact of the PCR plateau phase on quantitative PCR
C. Morrison and F. Gannon (Ireland) 493

Jun and Fos related gene products bind to and modulate the GPE I, a strong enhancer element of the rat glutathione transferase P gene
N. Oridate, S. Nishi, Y. Inuyama and M. Sakai (Japan) 499

Two mutant binding sites of the activating transcription factor region within the E2A promoter of adenovirus exist in a novel conformation
K.L.B. Borden (UK) 505

Polymorphism of human transcobalamin II: substitution of proline and/or glutamine residues by arginine
N. Li, G.K. Sood, S. Seetharam and B. Seetharam (USA) 515

Cloning and characterization of a major allergen of the house dust mite, *Dermatophagoides pteronyssinus*, homologous with glutathione *S*-transferase
G.M. O'Neill, G.R. Donovan and B.A. Baldo (Australia) 521

Short Sequence-Papers

cDNA sequence of zebrafish (*Brachydanio rerio*) translation elongation factor-1α: molecular phylogeny of eukaryotes based on elongation factor-1α protein sequences
S. Nordnes, S. Krauss and T. Johansen (Norway, UK) 529

The *Leishmania infantum* histone H3 possesses an extremely divergent N-terminal domain
M. Soto, J.M. Requena, G. Morales and C. Alonso (Spain) 533

The nucleotide and deduced amino acid sequences of a peptidyl-prolyl *cis-trans* isomerase from *Arabidopsis thaliana*
G.T. Hayman and J.A. Miernyk (USA) 536

Isolation of a new H3.3 histone variant cDNA of *P. lividus* sea urchin: sequence and embryonic expression
L. Fucci, F. Aniello, M. Branno, E. Biffali and G. Geraci (Italy) 539

Cloning and sequencing of the *tuf* genes of *Streptomyces coelicolor* A3(2)
G.P. Van Wezel, L.P. Woudt, R. Vervenne, M.L.A. Verdurmen, E. Vijgenboom and L. Bosch (Netherlands) 543

Cloning and nucleotide sequence of the gene encoding dinitrogenase reductase (*nif*H) from the cyanobacterium *Nostoc* 6720
C.E. Beesley, R.J. Smith, S.J. Temple and P.J. Lea (UK) 548

Tandem orientation of the inter-α-trypsin inhibitor heavy chain H1 and H3 genes
M. Diarra-Mehrpour, J. Bourguignon, N. Sarafan, F. Bost, R. Sesboüé, F. Muschio-Bonnet and J.-P. Martin (France) 551

Isolation and characterization of cDNA and genomic promoter region for a heat shock protein 30 from *Aspergillus nidulans*
T. Kusakabe, K. Koga and Y. Sugimoto (Japan) 555

Nucleotide sequence of the phosphotransacetylase gene of *Escherichia coli* strain K12
A. Matsuyama, H. Yamamoto-Otake, J. Hewitt, R.T.A. MacGillivray and E. Nakano (Japan, Canada) 559

Human glutamate receptor hGluR3 flip and flop isoforms: cloning and sequencing of the cDNAs and primary structure of the proteins
V. Rampersad, C.E. Elliott, S.L. Nutt, R.L. Foldes and R.K. Kamboj (Canada) 563

Structures of the human cDNA and gene encoding the 78 kDa gastrin-binding protein and of a related pseudogene
Q.-X. Zhang and G.S. Baldwin (Australia) 567

Molecular cloning of the *Drosophila virilis* larval glue protein gene *Lgp-3* and its comparative analysis with other *Drosophila* glue protein genes
W. Lanio, U. Swida and H. Kress (Germany) 576

Obituary – Laurens L.M. van Deenen *vii*

Regular Papers

Sequence homology of Chinese hamster metallothionein genes I and II to those of the mouse and rat, and their amplification in Cd-resistant cells
K. Yamada, H. Kato, N. Kanda, Y. Fujii-Kuriyama, T. Utakoji and R. Itoh (Japan) 581

Enhancement of bacterial transcription initiation in vitro by the 74 kDa subunit of human general transcription factor IIF (RAP74)
T. Chibazakura, S. Kitajima, M. Yonaha and Y. Yasukochi (Japan) 592

A gene of *Acinetobacter calcoaceticus* BD413 encodes a periplasmic peptidyl-prolyl *cis-trans* isomerase of the cyclophilin sub-class that is not essential for growth
R.G. Kok, V.M. Christoffels, B. Vosman and K.J. Hellingwerf (The Netherlands) 601

The establishment of the long terminal repeat of the mouse mammary tumor virus into CV-1 cells allows a functional analysis of steroid receptors
B. Couette, S. Le Ricousse, D. Fortin, M.E. Rafestin-Oblin and H. Richard-Foy (France) 607

Analysis of aggrecan and tenascin gene expression in mouse skeletal tissues by Northern and in situ hybridization using species specific cDNA probes
V. Glumoff, M. Savontaus, J. Vehanen and E. Vuorio (Finland) 613

Identification of multiple promoters within the N-*ras* proto-oncogene
M. Jeffers and A. Pellicer (USA) 623

Isolation of rat pgp3 cDNA: evidence for gender and zonal regulation of expression in the liver
K.N. Furuya, R. Gebhardt, E.G. Schuetz and J.D. Schuetz (USA, Germany) 636

Detection of a nuclear protein which binds specifically to the antioxidant responsive element (ARE) of the human NAD(P)H:quinone oxidoreductase gene
B. Wang and G. Williamson (UK) 645

Blasticidin S deaminase gene from *Aspergillus terreus* (*BSD*): a new drug resistance gene for transfection of mammalian cells
M. Kimura, A. Takatsuki and I. Yamaguchi (Japan) 653

Differences in expression and intracellular distribution of hexokinase isoenzymes in rat liver cells of different transformation stages
A. Rempel, P. Bannasch and D. Mayer (Germany) 660

Regulation of α_{1b}-adrenergic receptor gene expression in rat liver cell lines
C.-l. Deng and L.E. Cornett (USA) 669

ABFI contributes to the chromatin organization of *Saccharomyces cerevisiae* ARS1 B-domain
P. Venditti, G. Costanzo, R. Negri and G. Camilloni (Italy) 677

Short Sequence-Papers and Promoter Papers

Isolation and characterisation of an alternatively-spliced rat amelogenin cDNA: LRAP – a highly conserved, functional alternatively-spliced amelogenin?
W.A. Bonass, J. Kirkham, S.J. Brookes, R.C. Shore and C. Robinson (UK) 690

Cloning and characterization of a cDNA encoding rat PKR, the double-stranded RNA-dependent eukaryotic initiation factor-2 kinase
H. Mellor, K.M. Flowers, S.R. Kimball and L.S. Jefferson (USA) 693

An archaeal S-layer gene homolog with repetitive subunits
R. Yao, A.J.L. Macario and E. Conway de Macario (USA) 697

Cloning and sequencing of a K^+ transport gene (*trk A*) from the marine bacterium *Vibrio alginolyticus*
T. Nakamura, Y. Matsuba, N. Yamamuro, I.R. Booth and T. Unemoto (Japan, UK) 701

cDNA sequence for bovine ribosomal protein L3 carrying a bipartite nuclear targeting motif, identified also in many other ribosomal proteins
T. Simonic, S. Gaudi, F. Giussani, M. Malcovati, S. Ronchi and M.L. Tenchini (Italy) 706

Yeast homologue of mammalian Ran binding protein 1
G. Butler and K.H. Wolfe (Ireland) 711

Isolation and characterisation of the linked genes, *FPS1* and *QCR8*, coding for farnesyl-diphosphate synthase and the 11 kDa subunit VIII of the mitochondrial bc_1-complex in the yeast *Kluyveromyces lactis*
W. Mulder, I.H.J.M. Scholten, B. Nagelkerken and L.A. Grivell (The Netherlands) 713

Isolation and characterisation of the linked genes *APA2* and *QCR7*, coding for Ap_4A phosphorylase II and the 14 kDa subunit VII of the mitochondrial bc_1-complex in the yeast *Kluyveromyces lactis*
W. Mulder, I.H.J.M. Scholten, H. Van Roon and L.A. Grivell (The Netherlands) 719

Rapid Report

In vitro repair of oxidative and ultraviolet-induced DNA damage in supercoiled nucleoid DNA by human cell extract
A.R. Collins, I.M. Fleming and C.M. Gedik (UK) 724

Cumulative Contents, Vol. 1219 729

Author Index 735